

Revision Date: 15 July 2014

Page 1 of 8

PRODUCT SAFETY DATA SHEET

SECTION 1

PRODUCT AND COMPANY IDENTIFICATION

PRODUCT

Product Name: POLYPROPYLENE FILM

Product Description: Polymer article

Intended Use: Labeling material, Packaging material

COMPANY IDENTIFICATION

Supplier: Films Americas LLC

SSHE Department, Films Business 729 Pittsford-Palmyra Road Macedon, NY. 14502 USA

24 Hour Health Emergency 800-424-9300-or 202-483-7616 (CHEMTREC)

Supplier General Contact 315-966-5077

SECTION 2

COMPOSITION / INFORMATION ON INGREDIENTS

No Reportable Hazardous Substance(s) or Complex Substance(s).

SECTION 3

HAZARDS IDENTIFICATION

This material is not considered to be hazardous according to regulatory guidelines (see (M)SDS Section 15).

POTENTIAL PHYSICAL / CHEMICAL EFFECTS

Thermal burn hazard - contact with hot material may cause thermal burns. Material can accumulate static charges which may cause an ignition.

POTENTIAL HEALTH EFFECTS

No adverse effects due to inhalation are expected.

NFPA Hazard ID: Health: 0 Flammability: 1 Reactivity: 0 HMIS Hazard ID: Health: 0 Flammability: 1 Reactivity: 0

This product does not contain natural rubber, natural rubber latex, or their derivatives.



Revision Date: 15 July 2014

Page 2 of 8

OFOTION 4

SECTION 4

FIRST AID MEASURES

INHALATION

In case of adverse exposure to vapors and / or aerosols formed at elevated temperatures, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest.

SKIN CONTACT

If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn.

EYE CONTACT

Flush thoroughly with water. If irritation occurs, get medical assistance.

INGESTION

No adverse effects due to ingestion are expected.

SECTION 5

FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Appropriate Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

Inappropriate Extinguishing Media: Straight Streams of Water

FIRE FIGHTING

Fire Fighting Instructions: Assure an extended cooling down period to prevent re-ignition. Material will burn in a fire. Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

Unusual Fire Hazards: Exposure to fire can generate toxic fumes.

Hazardous Combustion Products: Smoke, Fume, Incomplete combustion products, Oxides of carbon, Nitrogen oxides

FLAMMABILITY PROPERTIES

Flash Point [Method]: N/A

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Autoignition Temperature: N/A

SECTION 6

ACCIDENTAL RELEASE MEASURES

NOTIFICATION PROCEDURES

None required.

PROTECTIVE MEASURES

See Section 5 for fire-fighting information. See Section 4 for First Aid Advice. See Section 8 for advice on



Revision Date: 15 July 2014

Page 3 of 8

the minimum requirements for personal protective equipment. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.

SPILL MANAGEMENT

Land Spill: Not applicable; product is not a liquid or flowable powder.

Water Spill: No immediate action required

SECTION 7

HANDLING AND STORAGE

HANDLING

No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product. Material can accumulate static charges which may cause an electrical spark (ignition source).

Static Accumulator: This material is a static accumulator.

STORAGE

The container choice, for example storage vessel, may effect static accumulation and dissipation.

Store in a cool, dry place.

Storage Temperature: 15°C (59°F) - 30°C (86°F)

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

ENGINEERING CONTROLS

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider:

Adequate ventilation should be provided whenever the material is heated or mists are generated.

PERSONAL PROTECTION

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Respiratory Protection: If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include:

No special requirements under ordinary conditions of use and with adequate ventilation.

Hand Protection: Any specific glove information provided is based on published literature and glove



Revision Date: 15 July 2014

Page 4 of 8

manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include:

If product is hot, thermally protective, chemical resistant gloves are recommended. If contact with forearms is likely, wear gauntlet style gloves.

Eye Protection: If contact is likely, safety glasses with side shields are recommended.

Skin and Body Protection: Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include:

If product is hot, thermally protective, chemical resistant apron and long sleeves are recommended.

Specific Hygiene Measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

ENVIRONMENTAL CONTROLS

Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

GENERAL INFORMATION

Physical State: Solid

Form: Film
Color: Colorless
Odor: None to Mild
Odor Threshold: N/D

IMPORTANT HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION

Relative Density (at 20 °C): 0.9 Flash Point [Method]: N/A

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Autoignition Temperature: N/A
Boiling Point / Range: N/A
Vapor Density (Air = 1): N/A
Vapor Pressure: N/A

Evaporation Rate (n-butyl acetate = 1): N/A

pH: N/A

Log Pow (n-Octanol/Water Partition Coefficient): N/A

Solubility in Water: Negligible

Viscosity: N/A

Oxidizing Properties: See Hazards Identification Section.



Revision Date: 15 July 2014

Page 5 of 8

OTHER INFORMATION

Freezing Point: N/D

Melting Point: 116°C (240°F) - 171°C (340°F)

SECTION 10

STABILITY AND REACTIVITY

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID: None

MATERIALS TO AVOID: Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Material does not decompose at ambient temperatures.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Route of Exposure	Conclusion / Remarks		
Inhalation			
Toxicity: Data available.	Minimally Toxic. Based on test data for structurally similar materials.		
Irritation: Data available.	Negligible hazard at ambient/normal handling temperatures. Based on test data for structurally similar materials.		
Ingestion			
Toxicity: Data available.	Minimally Toxic. Based on test data for structurally similar materials.		
Skin			
Toxicity: Data available.	Minimally Toxic. Based on test data for structurally similar materials.		
Irritation: Data available.	Negligible irritation to skin at ambient temperatures. Based on test data for structurally similar materials.		
F			
Eye			
Irritation: No end point data for material.	N/A		



Revision Date: 15 July 2014

Page 6 of 8

The following ingredients are cited on the lists below: None.

-- REGULATORY LISTS SEARCHED--

1 = NTP CARC 3 = IARC 1 5 = IARC 2B 2 = NTP SUS 4 = IARC 2A 6 = OSHA CARC

SECTION 12

ECOLOGICAL INFORMATION

The information given is based on data available for the material, the components of the material, and similar materials.

ECOTOXICITY

Material -- Not expected to be harmful to aquatic organisms.

MOBILITY

Material -- Low solubility and floats and is expected to migrate from water to the land. Expected to partition to sediment and wastewater solids.

PERSISTENCE AND DEGRADABILITY

Biodegradation:

Material -- Expected to be persistent.

Hydrolysis:

Material -- Transformation due to hydrolysis not expected to be significant.

Photolysis:

Material -- Transformation due to photolysis not expected to be significant.

Atmospheric Oxidation:

Material -- Transformation due to atmospheric oxidation not expected to be significant.

BIOACCUMULATION POTENTIAL

Material -- Potential to bioaccumulate is low.

SECTION 13

DISPOSAL CONSIDERATIONS

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. None required.

DISPOSAL RECOMMENDATIONS

Suitable routes of disposal are supervised incineration, preferentially with energy recovery, or appropriate recycling methods in accordance with applicable regulations and material characteristics at the time of disposal.

REGULATORY DISPOSAL INFORMATION

RCRA Information: The unused product, in our opinion, is not specifically listed by the EPA as a hazardous waste (40 CFR, Part 261D), nor is it formulated to contain materials which are listed as hazardous wastes. It does not exhibit the hazardous characteristics of ignitability, corrositivity or reactivity and is not formulated with contaminants as determined by the Toxicity Characteristic Leaching Procedure (TCLP). However, used product may be regulated.



Revision Date: 15 July 2014

Page 7 of 8

SECTION 14 TRANSPORT INFORMATION

LAND (DOT): Not Regulated for Land Transport

LAND (TDG): Not Regulated for Land Transport

SEA (IMDG): Not Regulated for Sea Transport according to IMDG-Code

AIR (IATA): Not Regulated for Air Transport

SECTION 15 REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION STANDARD: When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

Complies with the following national/regional chemical inventory requirements: AICS, DSL, ENCS, IECSC, KECI, PICCS, TSCA

EPCRA SECTION 302: This material contains no extremely hazardous substances.

SARA (311/312) REPORTABLE HAZARD CATEGORIES: None.

SARA (313) TOXIC RELEASE INVENTORY: This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

The following ingredients are cited on the lists below: None.

-- REGULATORY LISTS SEARCHED--

1 = ACGIH ALL	6 = TSCA 5a2	11 = CA P65 REPRO	16 = MN RTK
2 = ACGIH A1	7 = TSCA 5e	12 = CA RTK	17 = NJ RTK
3 = ACGIH A2	8 = TSCA 6	13 = IL RTK	18 = PA RTK
4 = OSHA Z	9 = TSCA 12b	14 = LA RTK	19 = RI RTK
5 = TSCA 4	10 = CA P65 CARC	15 = MI 293	

Code key: CARC=Carcinogen; REPRO=Reproductive

This product fully complies with Coalition of Northeastern Governors (CONEG) legislation and Directive 94/62/EC on Packaging and Packaging Waste that limits content of lead, mercury, cadmium and hexavalent chromium. This product does not contain, nor was it manufactured with, Class I or Class II Ozone Depleting Substances (ODS), based on information from our suppliers.



Revision Date: 15 July 2014

Page 8 of 8

OFOTION 40

SECTION 16 OTHER INFORMATION

N/D = Not determined, N/A = Not applicable

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:

Revision Changes:

Section 06: Protective Measures was modified.

Hazard Identification: Health Hazards was modified.

Section 07: Storage Temperature C(F) was modified.

Section 11: Eve Irritation Test Data was modified.

Section 09: Relative Density - Header was modified.

Section 14: LAND (TDG) - Header was modified.

Section 15: National Chemical Inventory Listing - Header was modified.

Section 15: Community RTK - Header was modified.

Section 16: Materials Covered was modified.

Section 11: Additional Health Information was modified.

Section 16: MSN. MAT ID was modified.

Section 09: Melting Point C(F) was modified.

Section 01: Company Contact Methods Sorted by Priority was modified.

Section 06: Accidental Release - Protective Measures - Header was added.

THIS MSDS COVERS THE FOLLOWING MATERIALS: BICOR 100 AB-X (TM) | BICOR 100 CSR-2 (TM) | BICOR 120 CSR-2 (TM) | BICOR 100 LTSC (TM) | BICOR 60 SLP (TM) | BICOR 75 SLP (TM) | BICOR 100 SLP (TM) | BICOR 200 SLP-2 (TM) | BICOR 120 AB-X (TM) | BICOR 120 CSR-2 (TM) | BICOR 120 LTSC (TM) | BICOR 120 SLP (TM) | BICOR 14MB440 (TM) | BICOR 15MB440 (TM) | BICOR 18 MAT (TM) | BICOR 19MB440 (TM) | BICOR 220 AB (TM) | BICOR 25 ARW (TM) | BICOR 30 ARW (TM) | BICOR 310 AB (TM) | BICOR 380 AB (TM) | BICOR 420 HS (TM) | BICOR 50 LBW (TM) | BICOR 60 CSR-2 (TM) | BICOR 60 CSR-3 (TM) | BICOR 70 CSR-M (TM) | BICOR 70 HSH (TM) | BICOR 70 SLP (TM) | BICOR 75 AB-X (TM) | BICOR 75 CSR-2 (TM) | BICOR 84 AOH (TM) | BICOR 85 LTSC (TM) | BICOR 125 BSR-ONE (TM) | BICOR 140 BSR-ONE (TM) | BICOR 70 MB (TM) | BICOR 21 WAXT (TM) | BICOR 26 WAXT (TM) | BICOR 25 KW (TM) | BICOR 15 MB 840 (TM)) | BICOR 50 SUP 490 (TM)

Jindal Films and its affiliates have prepared this Product Safety Data Sheet to provide health and safety information on our Films products. Note, however, under various regulations, such products are considered "articles" for which a (Material) Safety Data Sheet is not required. For example, in the U.S., as defined in the OSHA Hazard Communication Standard, Section 1910.1200(c), Jindal Films products are manufactured "articles", which do not result in exposure to hazardous chemical(s) under normal conditions of use. For this reason, Material Safety Data Sheets are not required under this standard.

The information and recommendations contained herein are, to the best of Jindal Films' knowledge and belief, accurate and reliable as of the date issued. You can contact Jindal Films to insure that this document is the most current available from Jindal Films. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, "Jindal Films", is used for convenience, and may include Jindal Films, or any affiliates in which they directly or indirectly hold any interest.